


TYPICAL ELEVATION

END VIEW



DOCK PLATE ASSY.

CHAIN ASSY.

EC-2 ANCHOR ASSY.

QTY	RECD	DRAWING NO.	DESCRIPTION	MATERIAL	WEIGHT	ITEM NO.
8	M02		M24 RESIN CAPSULE			6
8	M02		M24 ANCHOR BOLT ASSY., EC-2, W/ NUT & WASHER	316 SST		5
2	M02		CB-2 DOCK PLATE	Q235, HDG		4
4	M02		25mm BTA SHACKLE	HDG		3
2	M02		25mm OPEN LINK CHAIN, 4.0D, 10 LINKS	HDG		2
1	M02		Ø1350 x 2500 STD. CAP. SEAGUARD		336 kg	1

NOTES:

- ALL DIMENSIONS AND ELEVATIONS TO BE VERIFIED BY OTHERS.
- ANCHOR BOLTS ARE 316 STAINLESS STEEL. MIN. F_u = 500 MPa, F_y = 210 MPa. INSTALL ALL ANCHOR BOLTS PER MANUFACTURER RECOMMENDATIONS. PROPERLY PREPARE HOLES INSURING THEY ARE CLEAN, DRY, AND FREE OF DEBRIS.
- DOCK PLATE MATERIAL IS Q235 STEEL, HOT DIP GALVANIZED (MIN. 85 MICRONS THK.).
- CHAIN IS HOT DIP GALVANIZED (MIN. 85 MICRONS THK.).

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS (PARENTHESES IN INCHES).

TOLERANCES ARE:

FRACTIONS ± _____

DECIMALS ± _____

ANGLES ± _____

THIS DOCUMENTATION IS PROPRIETARY TO TRELLEBORG. ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED EXCEPT WHERE SHOWN OTHERWISE.

TRELLEBORG ENGINEERING SYSTEMS

Virginia Harbor Services, Inc
3400 EASTING DRIVE
CLAYTON, OH 44020
United States of America
Phone: (540) 667-5191
Fax: (540) 667-9887
web: www.trelleborg.com

GENERAL ARRANGEMENT
ALEXANDRIA PORT, EGYPT
Ø1350 x 2500 SEA GUARD®

DATE: 26 Jul 10
DRAWN BY: RLD
DESIGNED BY:
SCALE: NTS
SHEET 1 OF 1

PROJECT NO. EGY-20639-M02

BILL OF MATERIALS